



[Adobe PDF Downloadable Version of Article](#)

Loading



Place rifle with muzzle pointing in safe direction.



Insert 5 or less rounds into magazine as shown in Loading Single Rounds - Loading 2 . Close bolt (this action chambers first round into the chamber) and engage safety.



Place rifle with muzzle pointing in safe direction.

Open bolt and pull to rear of receiver. Turn rifle over. Push the magazine open catch towards the trigger guard.



Open the bottom of the magazine as shown in Unloading 2.



While holding the magazine open - allow all rounds loaded to fall away as shown in Unloading 3 .

Safety Operations



To engage the Mosin-Nagant safety - pull the cocking piece to the rear and rotate counter clockwise.



When you have rotated the cocking piece as far as it will go, counter clockwise, let it slide forward against the left hand side of the Mosin-Nagant receiver as shown in Safety 2.



Safety 3 shows an disengaged Mosin-Nagant safety.

[Adobe PDF Downloadable Version of Article](#)

Copyright 2003, 2004, 2005 © Jamie Mangrum

All material on web pages under the domains surplusrifle.com, surpluspistol.com, or surplusfirearm.com, and CD-ROMS produced by Surplusrifle.com, unless otherwise stated, are the property of Jamie Mangrum. These materials are protected by copyright and other intellectual property laws. Information received through this website may be displayed and printed for your personal, **noncommercial use only**. You may make copies of the materials available through this website, solely for your personal, **noncommercial use**, and only if you preserve any copyright or other notices contained in or associated with them. You may not see the materials found on this website.

Copyright 2003, 2004, 2005 © Jamie Mangrum